



# *The Sample Analysis at Mars Suite and its METHANE Relevant Investigations*

*Paul Mahaffy (NASA Goddard Space Flight Center)  
and the SAM Science team*

Joint ESA-ASI Workshop on Methane on Mars  
ESA/ ESRIN Frascati, Italy  
November 25-27th 2009






## Topics

- SAM science team
- MSL mission science goals
- candidate landing sites
- SAM science goals
- MSL investigations and critical elements
- measurement capability of the SAM suite of instruments
- mitigation against terrestrial contamination
- SAM measurements that complement methane observations

*Note: SAM's TLS methane measurement specifics are described in Chris Webster's presentation that follows*



# SAM science team



CoInvestigator	Institution	CoInvestigator	Institution	CoInvestigator	Institution
Paul Mahaffy, PI	NASA/GSFC	Andrew Steele	Carnegie Inst.	Toby Owen	U. Hawaii
Sushil Atreya	U. Michigan	Bruce Jakosky	U. Colorado	Bob Pepin	U. Minn.
Will Brinckerhoff	Johns Hopkins U.	John Jones	NASA/JSC	Francois Raulin	U. Parix XII
Michel Cabane	U. Paris/SA	Laurie Leshin	NASA/GSFC	Francois Robert	Museum Nat. Hist.
Patrice Coll	U. Paris XII	Chris McKay	NASA/Ames	James Scott	Carnegie Instit.
Pamela Conrad	JPL	Doug Ming	NASA/JSC	Steve Squyres	Cornell U.
Stephen Gorevan	Honeybee Robotics	Dick Morris	NASA/JSC	Chris Webster	JPL
Fred Goesmann	Max-Planck	R. Navarro-Gonzalez	U. Mexico	Color key → SAM hardware provider	

**Collaborators:** Mehdi Benna, Oliver Botta, Jason Dworkin, Jen Eigenbrode, Heather Franz, Daniel Glavin, Dan Harpold, Wayne Kasprzak, Heidi Manning, Kenneth Nealson, Alain Person, Claude Rodier, Robert Sternberg, Stephanie Stockman, Cyril Szopa, Meenakshi Wadhwa, Edward Vicenzi, Ah-San Wong, Jaime Demick, Guy Israel, Wes Huntress, Arnaud Bush



**Key team members for both development and surface op's:** Eric Raaen, Florence Tan, Tom Nolan, Micah Johnson, Jason Feldman, Greg Flesch

**Recent addition to the EPO team:** Lora Bleacher

**Recent or soon-to-be additions to the GSFC research team:** Amy McAdam, Melissa Trainer, Fabian Stalport, Alex Pavlov.




## MSL's core science goals



- **Assess biological potential of at least one target environment (past or present).**
  - Determine the nature and inventory of organic carbon compounds
  - Inventory the chemical building blocks of life (C, H, N, O, P, S)
  - Identify features that may record the actions of biologically-relevant processes
  
- **Characterize the geology of the landing region at all appropriate spatial scales**
  - Investigate the chemical, isotopic, and mineralogical composition of martian surface and near-surface geological materials
  - Interpret the processes that have formed and modified rocks and regolith
  
- **Investigate planetary processes that influence habitability**
  - Assess long-timescale (4-billion-year) atmospheric evolution processes.
  - Determine present state, distribution, and cycling of water and CO<sub>2</sub>.



# SAM Instruments and Major Subsystems





## SAM is a Suite of 3 Instruments


- **Quadrupole Mass Spectrometer (QMS) – Goddard Space Flight Center**
  - Molecular and isotopic composition in the 2-550 Dalton mass range for atmospheric and evolved gas samples
- **Gas Chromatograph (GC) - University of Paris, CNES**
  - Resolves complex mixtures of organics into separate components
- **Tunable Laser Spectrometer (TLS) – Jet Propulsion Laboratory**
  - Abundance and precision isotopic composition of CH<sub>4</sub>, H<sub>2</sub>O, and CO<sub>2</sub>

## SAM supporting subsystems


- **Gas Processing System (GPS) – Goddard Space Flight Center**
  - Includes valves, manifolds, carrier gas, enrichment cells, Wide Range Pump (WRP), and Pyrolysis Ovens
- **Sample Manipulation System (SMS) – Honeybee Robotics**
  - Positions 74 sample cups to below a sample inlet tube or into SAM pyrolysis ovens
- **Common Infrastructure Systems – Goddard Space Flight Center**
  - Electrical, Mechanical, Thermal, Flight Software



TLS




GC



QMS



# SAM Core Science Goals



- **GOAL #1: Explore sources and destruction paths for carbon compounds**

Met by measurements of the identity and abundance of **organic molecules** and their distribution of oxidation states, molecular weights, and chemical structures

- **GOAL #2: Search for organic compounds of biotic and prebiotic relevance including methane**

Met by measurements of:

- **amino acids, nucleobases, carboxylic acids** by solvent extraction and chemical derivatization
- **methane abundance** in the atmosphere & its  $^{13}\text{C}/^{12}\text{C}$  ratio with TLS.

- **GOAL #3: Reveal chemical and isotopic state of other light elements that are important for life as we know it on Earth**

Met by measurement of **inorganic gases** such as  $\text{SO}_2$ ,  $\text{H}_2\text{O}$ , and  $\text{CO}_2$  evolved from solid samples

- **GOAL #4: Study habitability of Mars by atmospheric/surface interactions expressed in trace species compositions**

Met by measurement of

- abundance of multiple minor and **trace atmospheric species** including those with short photochemical atmospheric lifetimes
- **diurnal and seasonal variation of atmospheric species** such as  $\text{H}_2\text{O}$ ,  $\text{O}_2$ ,  $\text{N}_2$ , Ar,  $\text{O}_3$ ,  $\text{H}_2$ , and  $\text{CH}_4$

- **GOAL #5: Understand atmosphere & climate evolution through isotope measurements of noble gases & light elements**



Met by measurement in the atmosphere and in gas evolved from fines and powdered rocks

- **isotope ratios for noble gases**
- $^{13}\text{C}/^{12}\text{C}$ ,  $^{15}\text{N}/^{14}\text{N}$ ,  $^{18}\text{O}/^{16}\text{O}$ ,  $^{17}\text{O}/^{16}\text{O}$ , and D/H in simple compounds

*provides a database that constrains models of atmospheric evolution and identifies reservoirs of the light elements that contribute to the present atmosphere.*



# Ten Diverse MSL Science Investigations



**>130 co-investigators  
in seven countries**

## REMOTE SENSING

**MastCam** (M. Malin, MSSS) - Color stereo imaging, atmospheric opacity

**ChemCam** (R. Wiens, LANL/CNES) - Chemical composition; remote micro-imaging

## CONTACT INSTRUMENTS (ARM)

**MAHLI** (K. Edgett, MSSS) - Microscopic imaging

**APXS** (R. Gellert, U. Guelp, Canada) - Chemical composition

## ANALYTICAL LABORATORY (ROVER BODY)

**SAM** (P. Mahaffy, GSFC/CNES) - Chemical and isotopic composition, including organics

**CheMin** (D. Blake, ARC) - Mineralogy

## ENVIRONMENTAL CHARACTERIZATION

**MARDI** (M. Malin, MSSS) - Descent imagery


**REMS** (L. Vázquez, CAB, Spain) - Meteorology / UV

**RAD** (D. Hassler, SwRI) - High-energy radiation

**DAN** (I. Mitrofanov, IKI, Russia) - Subsurface hydrogen



# Other MSL elements






**We anticipate the substantial benefit of an order of magnitude increase in payload mass resources !**





# SAM Suite top assembly



Solid sample inlets penetrate through MSL top deck

Atmospheric inlets and vents located on side of SAM box and penetrate +Y face of MSL WEB


Tunable Laser Spectrometer

Wide Range Pump

Gas Chromatograph



SMS and Housing

Chemical Separation and Processing Laboratory








# SAM Processes both Rock and Atmospheric Samples





Getter utilized for methane enrichment pumps all gases EXCEPT CH<sub>4</sub> and noble gases – scrubbed gas is sent to TLS








# 3 core instruments provided an international collaboration between three different institutions



**GC**  
French contribution



**QMS**  
from GSFC



**TLS**  
from JPL



# SAM Conducts a Diverse Set of Chemical Analyses



**SAM**  
Sample Analysis at Mars

Sample Analysis at Mars



EXPERIMENT	WHAT EACH SAM EXPERIMENT DOES AND WHY
<b>Pyrolysis</b> <i>(61 quartz cups)</i>	<b>GENERAL SURVEY FOR ORGANIC COMPOUNDS</b> - Sample in quartz cup is heated in a He gas flow and evolved gases monitored by the QMS – trapped organics are subsequently analyzed by GCMS using one of six columns. If evolved CO <sub>2</sub> from carbonates or H <sub>2</sub> O from hydrates is produced, they can be isotopically analyzed by TLS.
<b>Derivatization</b> <i>(9 cups w/fluid)</i>	<b>ORGANICS OF SPECIAL INTEREST</b> - Solvent extraction of organics and chemical derivatization (transformation of polar compounds such as amino acids, carboxylic acids, and even nucleobases into volatile compounds that can be analyzed by GCMS)
<b>Combustion</b>	<b><sup>13</sup>C/<sup>12</sup>C IN REFRACTORY CARBON</b> – Oxygen from a SAM tank transforms macromolecular carbon into CO <sub>2</sub> in the SAM ovens at several hundred degrees – the CO <sub>2</sub> isotopic composition is analyzed by TLS
<b>Direct Atmospheric Sampling</b>	<b>ATMOSPHERIC COMPOSITION VARIATIONS</b> – the atmosphere is sampled by the QMS (wide survey) and the TLS on various temporal scales (diurnal and seasonal)
<b>Atmospheric Sampling with Enrichment</b>	<b>ATMOSPHERIC TRACE SPECIES</b> – trace species are enriched by the SAM traps and analyzed in the QMS
<b>Atmospheric Methane with Enrichment</b>	<b>TRACE METHANE AND ITS ISOTOPES</b> – methane is enriched by the SAM set of getters and traps. Factors of 50-100 enrichment will be obtained and studies for greater enrichment are ongoing.
<b>Atmospheric Noble Gas Enrichment</b>	<b>PRECISION NOBLE GAS ABUNDANCE AND ISOTOPE RATIOS</b> – active gases are removed by getters and light and heavy noble gases separated. Noble gas measurements are secured by the QMS with static mass spectrometry
<b>In Situ Calibration</b> <i>(4 cups)</i>	<b>VERIFIES PERFORMANCE OF SAM ON MARS</b> – both gas and solid calibration samples are used in situ as needed. Solid calibration samples are stored in sealed cups in SAM or in sealed containers that are sampled by the MSL sample acquisition system. <i>-3 cups w/fluorocarbs &amp; inorganics + 1 cup calcite for terrestrial CO<sub>2</sub> validation</i>

Calibration expts

Solid Sample expts

Gas expts



# SAM comparison with Viking GCMS




**SAM**

Parameter	Viking	SAM	Science Benefit
<b>Pyrolysis</b>			
No. of sample cups	3	74	More samples analyzed – each cup can be used multiple times
Temperature	50, 200, 350, or 500°C	Continuous heating up to 1100°C	Identification of mineral decomposition products
<b>Gas Chromatography</b>			
Columns	Poly MPE-Tenax	Molsieve 5A carbo-bond, MXT 1,5, MXT PLOT U, RTX 5 Amine, Chirasil-Val	Analysis of a wider range of organics, noble gases, VOCs, derivatized compounds, enantiomers and amines
Derivatization	No	Yes, MTBSTFA	Transforms key organic biomarkers
<b>Mass Spectrometer</b>			
Mass range (Da)	12 - 200	2 - 535	ID of wider range of species; derivatized compounds
High throughput pumps	no	yes	Increase in sensitivity
Static/dynamic modes	Dynamic only	Static or dynamic	High precision noble gas isotopes
Direct EGA monitoring	no	yes	Detect complex, less volatile species
<b>Tunable Laser Spectrometer</b>			
CH <sub>4</sub>	No TLS & MS isobaric interference	Dedicated laser channels for CH <sub>4</sub> abundance	Enables detection of these important very trace species
Isotopes of C, O, H	No TLS & MS isobaric interference	Isotopes of CO <sub>2</sub> , H <sub>2</sub> O, and CH <sub>4</sub>	Great improvement in precision of isotope measurements for C, O, H




## SAM integration/calibration took about a year – now finishing last of qualification tests



### Integrated onto SAM frame and main deck

- Quadrupole Mass Spectrometer
- Tunable Laser Spectrometer
- 6 GC columns
- Sample Manipulation System
- 2 pyrolysis cells
- 16 Gas Processing System manifolds
- 2 high conductance valves
- 52 microvalves
- 51 gas line heaters
- combustion & cal gases
- 2 scrubbers and 2 getters
- hydrocarbon trap
- 2 turbomolecular pumps
- 2 He tanks pressurized to 2400 psi
- 4 heat pipes
- electronics stack
- ~ 600 m of harness wire
- Solid Sample Inlet Tubes
- thermal shields







- Design/Review Notes:**
- 1- \*Power OFF always causes V31 (Rev) and V44 to close.
  - 2- There are 60 Heater switches, plus 2ea, Shakers, and 2ea, TEC1s.
  - 3- There are 43 10V switches, 9 28V switches, and 8 27V (MSL battery) switch with 2ea parallel for 3A.
  - 4- Heaters may be connected in either series or parallel as required at a maximum of 1.5A ea.
  - 5- There are 63 temperature channels in PT.
  - 6- PRTs are US Sensor PPG501A1, 500W, 500°C, devices.
  - 7- Maximum "Lab" bakeout is 225°C unless otherwise noted.

**Note:**  
The Valve, Heater, and Temperature designations shown on this drawing are NOT the electronic designations shown in mapping drawings: 051181\*-Valve Map 051177\*-Heater and Sensor Map.

- Legend**
- Micro Valve GSFC
  - Micro Valve Aker
  - Micro Valve Aker (HC)
  - Thermistor (Internal QMS)
  - PRT
  - Switched Heat 10V
  - Switched Heat 28V
  - Switched Heat 27V (Unreg)
  - Switched Blanket Heat 10V
  - Switched Blanket Heat 28V
  - Switch Load (SSIT/TEC)
  - PWM Controlled Heater
  - Thermoelectric Cooler
  - Pressure Monitor
  - Chokes (Flow Restrictor)
  - Gas Diffuser (MNB)
  - 3/16" Pipe (Rubbed)





# SAM getting ready for thermal vacuum tests





# October 2009 – fit checking a mechanical model of SAM into the MSL rover



Bert Turney

Allen Ilharreguy

Tim Connors

Seth Harvey

Rodger Farley

Bob Arvey

Nick Kwiatkowski

John Bishop

Morgan Hendry

Oren Sheinman


Jason Feldman

SAM

Peter Illsley (snapping picture!)  
John DeGange (not pictured)  
Ray Reyes (not pictured)



## Why 6 GC columns ?




**Column 1 :** devoted to "atmospheric gases", as rare Gases (Kr, Ar...) + N<sub>2</sub> + O<sub>2</sub> + CO + CO<sub>2</sub> + H<sub>2</sub>O + CH<sub>4</sub> (!!);

**Column 2 :** devoted to low molecular weight VOC (C<sub>1</sub>-C<sub>3</sub>) and sulfured compounds (SO<sub>2</sub>...);

**Columns 3 and 4 :** Classical or "universal" columns that give access to a wide range of products- devoted to pyrolysis products and lighter derivatized products ;


**Column 5 :** devoted to products produced by derivatization (they are heavy after this sample preparation and need a specific column);

**Column 6 :** devoted to chiral compounds, could be also a backup if one of the (3+4 columns) couple fails.






# SAM Gas Calibration Cell - Composition




- Strong contrast to Mars composition
- Xe strongly enriched in  $^{129}\text{Xe}$  to contrast with Mars Xe
- Mole fraction of calibration fluoro compounds in gas phase in cell set by cell temperature

**When a small volume of calibration mix is injected into the SAM manifold – verification of GCMS performance at the sub ppb level is achieved**

Total Composition  
(Mole Fraction)




Mole fractions for higher-molecular-weight, calibration compounds






# High molecular weight calibrants



Responses (not to scale)



1-FN: 1-fluoronaphthalene

PFBP: perfluorobiphenyl


DFBP: 2,2-difluorobiphenyl

Perfluorotributylamine

GCMS ion chromatograms of 250  $\mu$ l gas removed from a practice cell via syringe at 100-120°C.


- Practice cell tests demonstrate our method for adding calibrants to cell works.

- Calibrants can be easily separated on RTX-5 column.






# SAM QMS flight instrument (FM) performance demonstrated with high MW fluorocarbon





# Calibration spectrum of Kr and Xe


Noble gases to be measured both from the atmosphere and thermally evolved from solids






# Evolved gas calibration with solid mineral samples

## Sample heated from ambient to 950 C




### SAM FM Calibration Calcite and Melanterite EGA – 1/22/2009





# GCMS from FM Comprehensive Performance Test (use of fluorocarbons to eliminate confusion with Mars organics)





# Contamination model, materials archive, and SAM library




**SAM**

Sample Analysis at Mars

**Model of MSL  
contamination transport**  
includes Mars winds and  
thermal plume from RTG

**Materials archive & library**  
SAM team has analyzed  
volatile outgassing from  
numerous MSL materials  
and is creating a library of  
organics from MSL that  
may show up on Mars  
(dozens of GCMS pyrolysis  
runs and hundreds of  
compounds)



Results of an example calculation showing surfaces of 100 ppb, 10 ppb, and 1 ppb density for a contaminant emanating from a vent, not shown, located at the right rear of the rover body. The outermost contour corresponds to 1 ppb, the innermost contour to 100 ppb.

Ten Kate, I.L., Canham, J.S., Conrad, P. G, Errigo, T., Katz, I, and Mahaffy, P.R., Impact of Terrestrial Contamination on Organic Measurements from the Mars Science Laboratory, *Astrobiology* **8**, 571-582 (2008).




# SAM environmental chamber duplicates T and P conditions on Mars – second round of qualification to start in January 2010







# Prime MSL Landing Sites from multiple open MSL landing site workshops




**Holden crater:**  
bedrock  
outcrops, alluvial fans,  
rich history of aqueous  
processing



**Eberswalde crater:**  
well defined delta  
suggests long duration  
water flow





**Mawrth:** strong CRISM  
and OMEGA signatures of  
Fe/Mg and Al phyllosilicates  
– may be good preservation  
environment for organics



**Gale crater:** diversity of  
mineralogy in well defined  
layered sequences that  
could be traversed by MSL




# MSL landing sites and methane hot spots



- Eberswalde Crater (24°S, 327°E, -1.5 km)
- Gale Crater (4.5°S, 137°E, -4.5 km)
- Holden Crater (26°S, 325°E, -1.9 km)
- Mawrth Vallis (24°N, 341°E, -2.2 km)


From Mumma et al.

Additional methane maps from future Mars Express and ground based observations will be useful in providing an additional discriminating factor for MSL landing site selection





## Mars methane sources will only be revealed with a RANGE of chemical and isotopic measurements



Deep terrestrial methane sources are likely MIXED abiotic and biotic. To provide signatures of source type, a range of measurements and their temporal variations are needed:

For example, Sherwood Lollar et al., 2006 point to ENDMEMBER signatures

- ratio of  $\text{CH}_4$  to  $\text{C}_2\text{H}_6$  and C3 and C4 compounds
- $\delta\text{H}$  vs.  $\delta^{13}\text{C}$  in methane, ethane, and C3 and C4 compounds
- temporal variations of  $\delta\text{H}$  vs.  $\delta^{13}\text{C}$  in methane
- ratio of  $\text{H}_2$  to  $\text{CH}_4$
- $\text{CH}_4/\text{C}_2+$  vs.  $\delta^{13}\text{C}$  in methane

### SAM could utilize

- $^{13}\text{C}/^{12}\text{C}$  and D/H measurement in methane (if methane present in sufficient abundance)
- correlation of  $^{13}\text{C}/^{12}\text{C}$  in methane and D/H measurement in  $\text{H}_2\text{O}$
- ratio of methane to heavier hydrocarbons (best measurements for C4 and heavier compounds)
- combustion of refractory carbon to possibly reveal  $^{13}\text{C}/^{12}\text{C}$  in source material
- seasonal and diurnal measurements of methane abundance in one surface region to contribute to understanding of sources and sinks.

**TLS contribution to this analysis will be described in the next talk**